

ROCKCRETE EQUIPMENT'S

ROCKCRETER 65



Solutions for tunneling and mining



ROCKCRETE
EQUIPMENT (PTY) LTD

As part of our policy of constant product development and improvement, information and specifications contained in this document are liable to change
Last revised: Aug-2015

Overview

The Rockcreter 65 is a modern version of the original equipment suitable for any industry from mining to refractory use. It is a leading machine of its class for transporting any form of dry mix material. It is robust, requires little maintenance and is simple to operate.

Applications

- ☞ Concrete Repairs
- ☞ Shaft & Pipe Lining
- ☞ Spill Ways
- ☞ Tunnel Support
- ☞ Fire Proofing
- ☞ Refractory linings
- ☞ Vent Seals
- ☞ Dams
- ☞ Housing etc.
- ☞ Lateral support



Solutions for tunneling and mining



ROCKCRETE
EQUIPMENT (PTY) LTD

Technical Specifications

Dimensions

Length	:	1400 mm
Width	:	700 mm
Height	:	1200 mm - with hopper 1400 mm
Weight	:	± 680 kg

Conveying Distance

Up to 200 m (with mods)

Air Requirements

4 - 6 bar @ 750cfm - Air drive
4 - 6 bar @ 450cfm - Electric drive

Options

Variable speed electric drive / Air drive / Diesel

Output

Up to 4cu.mtrs/hr

Features

Mixing element - ideal for pre-bagged material
Full/half rotor
50 mm/38 mm Hose



ROCKCRETE
EQUIPMENT (PTY) LTD

Rockcrete Equipment (PTY) LTD
361 Crocker Road
Wadeville, Germiston 1428

Phone: +27 11 865 3019
Email: information@rockcrete.co.za
www.rockcrete.co.za